



Xitanium LED drivers – full programmable

Xi FP 330W 2:0.2-0.75A SNDAE 230VC240sXt

Our Xitanium full programmable Xtreme LED drivers are designed to deliver the highest performance, reliability and configuration possibilities. The portfolio offers both stand-alone and remote dimming protocols to further decrease energy use with the latest LED technologies. The proven Xtreme technology ensures maximum robustness and protection for a very long lifetime. These drivers are the preferred choice for demanding applications such as outdoor and industry. Configuration of these drivers can be done via both the universal DALI or with SimpleSet, which is the latest technology for reliable, fast and easy altering and reading out of settings.

Product data

General Information	
Lighting Technology	LED
Operating and Electrical	
Output Current (Max)	750 mA
Output Current (Min)	50 mA
Output Voltage (Max)	300 V
Output Voltage (Min)	100 V
Controls and Dimming	
Dimming Range	100-10 %
Mechanical and Housing	
Housing	C240

Product Data	
Order product name	Xi FP 330W 2:0.2-0.75A SNDAE 230VC240sXt
Full product name	Xi FP 330W 2:0.2-0.75A SNDAE 230VC240sXt
Full product code	871869970498800
Order code	929002114806
Material Nr. (12NC)	929002114806
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8718699704988
Numerator - Packs per outer box	4
EAN/UPC - Case	8718699704995

Datasheet, 2024, January 8 data subject to change