



Actinic BL TL(-K)/TL-D(-K)

Actinic BL TL 6W/10 1FM

With an optimized spectrum matching the eye sensitivity of the housefly, Actinic BL TL(-K)/TL-D(-K)/TL-E/PL-S and PL-L lamps are perfect for attracting insects. They have virtually no UV-B output, and so are perfectly safe. What's more, with the lowest mercury content in the industry and being 100% lead-free, these lamps represent a very good environmental choice. Furthermore, the availability of a wide range of form factors (straight (T5, T8, T12), circular (TL-E) and compact (PL-S/PL-L)) and wattages enables you to make all kinds of designs for your electronic fly killers.

PHILIPS

Actinic BL TL(-K)/TL-D(-K)

Product data

• General Characteristics

Cap-Base	G5
Bulb	T16
Main Application	Reprography
Useful Life	5000 hr
Life to 50% failures	10000 hr
EM	

• Light Technical Characteristics

Color Code	10
Color Designation (text)	Actinic
Chromaticity Coordinate X	222 -
Chromaticity Coordinate Y	210 -
Depreciation 500 hours	17 %
Depreciation 1000 hours	25 %
Depreciation 2000 hours	35 %

• Electrical Characteristics

Lamp Wattage	6 W
Lamp Wattage Technical	6 W
Lamp Voltage	42 V
Lamp Current	0.16 A

• Environmental Characteristics

Mercury (Hg) Content	4.4 mg
----------------------	--------

• UV-related Characteristics

UV-A Radiation 100hr (IEC)	1.4 W
UV-B/UV-A (IEC)	0.2 %


• Product Dimensions

Base Face to Base Face A	212.1 (max) mm
Insertion Length B	216.8 (min), 219.2 (max) mm
Overall Length C	226.3 (max) mm
Diameter D	16 (max) mm

• Product Data

Order code	928000501030
Full product code	928000501030
Full product name	Actinic BL TL 6W/10 1FM
Order product name	Actinic BL TL 6W/10 1FM/10X25CC
Pieces per pack	1
Packing configuration	10X25CC
Packs per outerbox	250
Bar code on pack - EAN1	8711500260390
Bar code on intermediate packing - EAN2	8711500260406
Bar code on outerbox - EAN3	8711500260413
Logistic code(s) - 12NC	928000501030
Net weight per piece	21.000 gr


Dimensional drawing



Actinic BL TL 6W/10 1FM



Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TL 6W/10	212.1	216.8	219.2	226.3	16

Dimensional drawing



G5

Photometric data



© 2013 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2013, June 21
data subject to change